








HB30 LED Highbay



Features:

- 
Long lifetime/10 years*
 With reliable design, IP65 & IK08 (*12hrs/day)
- 
Stable performance in poor grid environment
 Max 4KV surge protection
- 
High efficiency and energy saving
 Lumen efficiency 100lm/w
- 
Durable Material & Good Dissipation
 Die-casting aluminum housing
- 
Slim body design, saving shipping cost
 20GP can load around 3000pcs, largely save the freight
- 
Easy install & maintenance

Application:

- General industry application: factory, warehouse, distribution center
- Indoor sport hall
- Other high ceiling indoor applications

Certification:



TIS.1955-2551

Specification:

Electrical			
Power(W)	100W	150W	200W
Mains Voltage(V)	220-240V		
Frecuency(Hz)	50/60Hz		
Input Current(mA)	470	690	900
PF	0.95		
Surge Protection(L-N - L/N-PE)	3kV-4kV		
Driver Type	Build-in DOB driver		

Photometry			
Power(W)	100W	150W	200W
CCT	4000/6500K		
Light Output(lm)	10000	15000	20000
Lumen Efficiency(lm/W)	100lm/W		
CRI	≥80		
Beam Angle	90°	70°	70°
Optics Material	PC		

Mechanical			
Power(W)	100W	150W	200W
Luminaire Size (Φ* H mm)	260*46	280*48	320*48
Luminaire Weight(Kg)	1.15	1.4	1.7
Finishing Color	Black		
IP/ IK Rate	IP65 IK08		
Base and Body Materials	Die casting aluminum		
Cable	350mm (VDE, 3* 1.0mm ²)		
Working Temperature	-20~40℃		
Storage Temperature	-20~60℃		
Installation methods	Suspension / Pole mount (φ20, M20*1.5M)		
Lifetime(H)	40000hrs		
Certification	CE/ CB/ TISI/ EMC		

Shipping Information			
Power (W)	100W	150W	200W
Pcs/Box	1		
Pcs/Carton	6		
Carton Size (L*W*H mm)	425*320*331	437*342*353	437*380*391
Carton N.W (KG)	6.9	8.4	10.2
Carton G.W (KG)	8.5	10.3	12.6

Accessory:



Cover / Shipping Information			
Type	Cover 100W	Cover 150W	Cover 200W
Size (ϕ *H mm)	350*90	400*100	450*100
Finishing Color	silver		
Pcs/Box	1		
Pcs/Carton	6		
Carton Size (L*W*H mm)	405*405*188	455*455*198	490*490*170
Carton N.W (KG)	0.96	1.26	1.56
Carton G.W (KG)	2.02	2.19	2.89

Order code:

Order code	Product description
L04E0-0077	HB30 LED Highbay 100W 4000K 90°
L04E0-0078	HB30 LED Highbay 100W 6500K 90°
L04E0-0079	HB30 LED Highbay 150W 4000K 70°
L04E0-0080	HB30 LED Highbay 150W 6500K 70°
L04E0-0081	HB30 LED Highbay 200W 4000K 70°
L04E0-0082	HB30 LED Highbay 200W 6500K 70°
L04E0-0083	HB30 LED Highbay Cover 100W
L04E0-0084	HB30 LED Highbay Cover 150W
L04E0-0085	HB30 LED Highbay Cover 200W

simon

Barcelona • Madrid • Belo Horizonte • Sao Paulo • Brussels • Buenos Aires •
Casablanca • Lima • Lisbon • Mexico D. F. • Moscow • New Delhi • Turin • Warsaw •
Oslo • Bucharest • Shanghai • Hanoi • Jakarta • Malaysia